	Application No.	Applicant(s)
Notice of Allowability	10/783,018	MORISHITA ET AL.
	Examiner	Art Unit
	Horace L. Flournoy	2189
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendment filed 06/07/06 and telephone interview on 06/22/06.		
2. The allowed claim(s) is/are <u>1-18</u> .		
 3.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4 A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☒ Examiner's Amendr	te
of Biological Material	9. Other	

EXAMINERS AMENDMENT

An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with John Mattingly on June 22, 2006.

The application has been amended as follows:

Please replace the abstract with:

-- When data in the first primary volume is migrated to the second primary volume, an

access request from the host to the primary volume is transferred to the second primary

volume. Further, the second storage system stores write data received from the host

and data of the first primary volume received from the storage system, into the second

primary volume. Out of data stored in the second primary volume, the second storage

system sends data determined by management information received from the first

storage system, to the third storage system. --

In the claims:

• In claim 10, between lines 6 & 7, insert -- a code that said third storage

system stores said write data received from said first storage system into

said secondary volume, when data stored in said first primary volume is migrated to a second volume owned by a second storage system; --.

Page 3

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

With respect to **independent claims 1, 8, 9, and 10**, the claims are allowable over the prior art of record for the reasons set forth on page 11, line 9 through page 17, line 9 of the response received 6/07/2006. Also the applicants agree with the Examiner's Amendments stated above to overcome objections to the claims.

The telephone interview on June 22, 2006 with John Mattingly was held to discuss overcoming an antecedent basis issue in claim 10.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance.

CONCLUSION

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Horace L. Flournoy whose telephone number is (571) 272-2705. The examiner can normally be reached on Monday through Friday 8:00 AM to 5:30 PM (ET).

Application/Control Number: 10/783,018 Page 4

Art Unit: 2189

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Reginald G. Bragdon can be reached on (571) 272-4204. The fax phone

numbers for the organization where this application or proceeding is assigned is (703)

746-7239.

Information regarding the status of an Application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or PUBLIC PAIR. Status

information for unpublished applications is available through Private Pair only. For more

information about the PAIR system, see http://pair-direct.uspto.gov. Should you have

questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is (571) 272-

2100.

Horace L. Flournoy

Patent Examiner

Art unit: 2189

Supervisory Patent Examiner

Reginald G. Bragdon

Technology Center 2100